L Number	Hits	Search Text	DB	Time stamp
1	24750904	(@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
2	58	705/54.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
3	50	705/80.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
4	127	713/153.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
5	486	705/14.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
6	225	705/2.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
7	5853	proxy ADJ server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
8	1978108	location OR locale OR address OR locality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
9	79044	wireless SAME network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
10	23804	wireless ADJ network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
11	67258	wireless WITH network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
12	48234	wireless NEAR3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:25
13	871	(proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26

C:\WINNT\Profiles\jcurcio\Desktop\Patent Searches\09559230.wsp

14	3192270	negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
15	592	((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
17	1358	(proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
18	144	(((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))) NOT ((((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
20	109	705/54.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
21	166	705/80.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
22	423	713/153.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
23	2447	705/14.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:26
24	126611	private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:27
25	1235	705/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:27

C:\WINNT\Profiles\jcurcio\Desktop\Patent Searches\09559230.wsp

26	1766	(705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:27
32	86	(((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR ((personal OR sensitive) ADJ information) OR confidential OR privy)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))) NOT (((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR ((personal OR sensitive) ADJ information) OR confidential OR privy)) AND (server OR client) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:27
35	24483798	(@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
36	0	((compar$3 NEAR5 URL) NEAR5 (authorized NEAR5 URL)) AND (705/$.ccls. OR 713/$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
37	0	((compar$3 NEAR5 URL) WITH (list NEAR5 URL)) AND (705/$.ccls. OR 713/$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
41	43	(reconcil$6 NEAR5 location) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
16	73	(((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28

C:\WINNT\Profiles\jcurcio\Desktop\Patent Searches\09559230.wsp

19	55	(((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))) NOT ((((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
27	168	((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
28	183	((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR ((personal OR sensitive) ADJ information) OR confidential OR privy)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
29	97	((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR privatiz$5 OR ((personal OR sensitive) ADJ information) OR confidential OR privy)) AND (server OR client) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
30	217	((proxy ADJ server) AND (private OR privacy OR privatiz$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat$3 OR agree$1 OR agreement OR agreeing OR arrang$3 OR $2conciliat$3 OR canonicaliz$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:28
31	6128	wireless ADJ network.AB.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:29
33	60	(wireless ADJ network.AB.) AND 705/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:29
34	1449	wireless ADJ network.AB. AND computer.AB.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:30

38	2	((match$3 NEAR5 URL) WITH (list NEAR5 URL)) AND (705/$.ccls. OR 713/$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:30
39	14	(list NEAR5 URL) AND (705/$.ccls. OR 713/$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:30
40	3	(reconcil$6 NEAR5 location) AND (705/$.ccls. OR 713/$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:30
42	39	((reconcil$6 NEAR5 location) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))) AND (computer OR network OR PC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 17:30